

### Contents

01 **Android Advertising Displays** 05 **Android Freestanding Digital Posters** 09 **POS Android Advertising Displays** 13 **Outdoor Advertising Displays** 17 **Outdoor Freestanding Digital Posters** Professional Monitors & 21 **Professional Monitors** Video Wall Displays **High Brightness Monitors** 25 29 **LCD Video Wall Displays** Touch Screens 33 **PCAP Touch Screens** 37 **Infrared Touch Screens** 41 **Infrared Freestanding Touch Screen Posters** 45 **Presentation Touch Display** 49 **Interactive Touch Display** Media Players **53 Standalone Android Media Player 55 Android Cloud Network Media Player 55 Android Cloud Network Media Player with Live Input** Digital Signage Software **57 Network CMS** 61 **Touch CMS** 

### When it comes to Digital Signage; we've got you covered!

Using our industry expertise we are fully equipped to provide complete turnkey solutions; developing software to be used alongside the superior hardware that we supply. Thanks to this factor, as well as the huge diversity in the solutions that we offer, we are a onestop-shop for all Digital Signage projects.

We have solutions to meet every commercial display need, from 10" POS displays to colossal 10x10 Video Walls; we cover an enormous range of screen sizes. We offer a huge variety of products, all designed for 24/7 usage, such as High Brightness Monitors, IR and PCAP Touch Screens, Tablet-Style Android Advertising Displays, IP Rated Outdoor Screens as well as a range of back end software solutions for all of them. We can provide simple, cost-effective solutions that anybody can use, regardless of your level of technical knowledge; ideal for SMEs. We can also provide more comprehensive solutions for larger corporate projects that allow you to control, monitor and update a network of screens all over the world through our online portal. We know how to get the balance just right so that we can provide cost-effective, stylish and robust solutions that are suitable for use in public spaces.

We offer a full 3 year warranty on all of our core ranges that are featured in this brochure and also provide lifetime technical support on every product that we sell. We understand that every Digital Signage project is different and that is why working with an experienced and reputable supplier is essential.



















### **Android Advertising Displays**

### **Network Upgrade (go to page 57 for more information)**

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### **Plug and Play**

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.

### **Integrated Android Media Player**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via the Android PC board.

### **IPS Panel**

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

(Excludes 19" & 22" model) **NIPS** 

### **Connect Devices**

If you want to use the screen as a monitor you can connect devices via HDMI and VGA.

PRADA

The screen can be used in either a landscape or portrait orientation depending on your requirement.


**Portrait/Landscape Orientation** 

### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50,000 hours.



### **Giant Tablet Styling**

Designed to resemble a giant smartphone or tablet. The sleek and sexy look is achieved with a striking aluminium surround and stunning IPX1 rated edge-to-edge glass.

### **Free Wall Mount**

The screen comes with a super-slim wall mount that allows the screen to be securely mounted in either landscape or portrait orientation.



Plug and Play

1



Free Scheduling

















Orientation






### **Plug and Play**

These displays have their own built in HD Android media player and require no additional hardware or software. Load your pictures and videos onto a USB stick, open the screen's locker door and insert the USB stick, this copies the files to the screen's internal memory. Once you remove the USB stick your pictures and videos will play in a continuous loop. It couldn't be simpler to get your content onto the screen.



### **Free Scheduling Software**

For more complicated requirements you can use the free scheduling software to update the screen. This software allows you to display different content at certain times of the day, for example a restaurant could display breakfast menus in the morning, lunch menus in the afternoon and dinner menus in the evening. You can also set image duration and transition effects using this software.



### **IPS Panel**


Accurately displays an image's quality and colour depth at a 178° ultra wide viewing angle. From bright sunlight to the most challenging lighting environments these displays are designed to reproduce and maintain the ultimate colour temperature for lifelike images. The panel is also optimised for mounting in either landscape or portrait orientation.



### 24/7 Commercial Use

A commercial grade panel, with a lifespan in excess of 50,000 hours, and high quality components ensure that this display can be in constant use 24/7. Tablet-like styling is achieved thanks to their tempered glass front and robust steel enclosure, framed in an unpainted aluminium surround, unlike cheap imitations.

	Display Size		19 Inch	22 Inch	32 Inch	43 Inch	50 Inch	55 Inch	
	Resolution				1920	×1080			
	Display Area (mm	1)	408.6x229.6	478x269	699x394	942x525	1075.6x605.4	1211x682	
Panel	Aspect Ratio 9:16						•		
	Brightness (cd/m	2)			4	50			
	Colour				16	.7M			
	Viewing Angle				17	78°			
	Contrast Ratio				50	00:1			
Audio	Speaker Type				5W, 8	ßΩ (x2)			
	Video				HDM	I, VGA			
AV Inputs	Audio				Audio Soci	ket (3.5mm)			
	Power Consumpt	ion (W)	16	22	52	65	75	85	
Power	Input Voltage				AC110~240V	(50Hz~60Hz)		•	
	Unit Size (WxHxD	mm)	501x322x36	590x383x50	814x504x63	1045x638x63	1199x736x44	1366x837x50.1	
	Package Size (Wx	HxD mm)	580x430x120	655x485x120	956x605x164	1175x775x165	1357x867x176	1525x1016x214	
Mechanical	VESA Holes (mm)		100x100/150x100	100x100	400x200		400x400	•	
	Net Weight (kg)		5.9	8.5	13.1	22.8	28.05	47	
	Gross Weight (kg	)	7.8	10.3	16.9	30.2	37	54	
	Operating Tempe	erature	0°C to 50°C						
Environmental	Storage Tempera	ture	-30°C to 60°C						
Environmental	Operating Humio	Operating Humidity 10% to 80%							
	Storage Humidity	1	5% to 95%						
		Media Formats	Video	MPG, AVI, MP4, R	M, RMVB, TS), Aud	lio (MP3, WMA), Im	nage (JPG, GIF, BM	P, PNG)	
		Media Resolution			1920x1080	/1080x1920			
		Internal Memory			6	GB			
		CPU			Duel-Core Cort	ex-A9 @1.6GHz			
		GPU			Mali-400 MI	94 @400MHz			
Computer	Internal Media	RAM			1GB	DDR3			
computer	Player	ROM			8GB	NAND			
		USB			USB2.0 H	HOST (x2)			
		LAN		10/10	0M Ethernet (Netv	work version screer	n only)		
		Wi-Fi		80.	2.11b/g/n (Networ	k version screen o	nly)		
		OS			Andro	id 4.2.2			
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1						
	Included	<u> </u>				Remote Control, K	7.		
Accessories	Optional			Network Upg Floor	rade, Touch Scree Stand/Trolley, Cei	n Upgrade, Specia iling Mount, Table	l Wall Mount, Stand		



### **Android Freestanding Digital Posters**

### **Plug and Play**

**Internal Locker** 

If you want to use the screen as a

monitor you can connect external

devices via HDMI and VGA and keep the

devices in the discrete internal locker.

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display. Wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.

### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.



### **Network Upgrade (go to page 57 for more information)**

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### **IPS Panel**

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.



### **Giant Tablet Styling**

Designed to resemble a giant smartphone or tablet. The sleek and sexy look is achieved with a striking aluminium surround and stunning IPX1 rated edge-to-edge glass.





### **Integrated Android**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via the Android PC board.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50,000 hours.



**Free Integrated Castors** 

be retracted.



Designed with discreet retractable castors for easy



Free Scheduling

Android Media Player

IPS Panel Technology















AV Inputs

Integrated Speakers






### **Plug and Play**

These displays have their own built in HD Android media player and require no additional hardware or software. Load your pictures and videos onto a USB stick, open the screen's locker door and insert the USB stick, this copies the files to the screen's internal memory. Once you remove the USB stick your pictures and videos will play in a continuous loop. It couldn't be simpler to get your content onto the screen.



### **Free Scheduling Software**

For more complicated requirements you can use the free scheduling software to update the screen. This software allows you to display different content at certain times of the day, for example a restaurant could display breakfast menus in the morning, lunch menus in the afternoon and dinner menus in the evening. You can also set image duration and transition effects using this software.



### **IPS Panel**

Accurately displays an image's quality and colour depth at a 178° ultra wide viewing angle. From bright sunlight to the most challenging lighting environments these displays are designed to reproduce and maintain the ultimate colour temperature for lifelike images. The panel is also optimised for mounting in either landscape or portrait orientation.



### 24/7 Commercial Use

A commercial grade panel, with a lifespan in excess of 50,000 hours, and high quality components ensure that this display can be in constant use 24/7. Tablet-like styling is achieved thanks to their tempered glass front and robust steel enclosure, framed in an unpainted aluminium surround, unlike cheap imitations.

	Display Size		50 Inch	55 Inch			
	Resolution		1080x	1920			
	Display Area (mm	1)	618.4x1097.8 682x1211				
Panel	Aspect Ratio		16:	9			
	Brightness (cd/m	2)	45	0			
	Colour		16.7	M			
	Viewing Angle		178	3°			
	Contrast Ratio		400	0:1			
ludio	Speaker Type		6W, 89	2 (x2)			
V Inputs	Video		HDMI,	VGA			
tv inputs	Audio		Audio Socke	et (3.5mm)			
ower	Power Consumpt	ion (W)	100	450			
ower	Input Voltage		AC110~240V	(50Hz~60Hz)			
	Unit Size (WxHxD	mm)	747x1850x50	840x1960x80			
Mechanical	Package Size (Wx	HxD mm)	850x2000x565	990x2100x570			
леспапісаі	Net Weight (kg)		72	120			
	Gross Weight (kg	)	82	125			
	Operating Tempe	erature	0 °C to 50 °C				
nvironmental	Storage Tempera	ture	-30°C to	o 60°C			
nvironmentai	Operating Humid	lity	10% to 80%				
	Storage Humidity	,	5% to 95%				
		Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)				
		Media Resolution	1080x	1920			
		Internal Memory	6G	В			
		CPU	Duel-Core Corte	x-A9 @1.6GHz			
		GPU	Mali-400 MP	4 @400MHz			
Computer	Internal Media	RAM	1GB D	DR3			
.omputer	Player	ROM	8GB N	AND			
		USB	USB2.0 H	OST (x2)			
		LAN	10/100M Ethernet (Netw	ork version screen only)			
		Wi-Fi	802.11b/g/n (Network	version screen only)			
		OS	Android	1 4.2.2			
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1				
ccessories	Included		Scheduling Software, Remote	e Control, Key, User Manual			
tccessories	Optional		Network Upgrade, Touch Screen Upgrade				



### **POS Android Advertising Displays**

**Plug and Play** 

continuous loop.

**Commercial Grade** 

RS-232 Control

using RS-232.

Designed for use in commercial applications this screen can run 24/7.

There are no external buttons or

Control, scale and customise your display over long and short distances

controls to avoid tampering.

Plug and Play is the easiest and

most simple way to upload content

to the screen. Simply load images

and videos onto a USB stick, insert in the display. Wait for your content to copy over and then remove. Your images and videos will now play in a



### **Integrated Android Media Player**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via the Android PC board.



The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### **Touch Screen Upgrade (go to page 61 for more information)**

The screen can be upgraded to become a ten point PCAP Touch Screen that unlocks a host of new features including buttons and multiple playlists.

## New Recipes

### **Power over Ethernet**

Power the screen using an Ethernet cable or the power cable provided.

0

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in

excess of 50,000 hours.

### **Integrated Mounting Solution**

The rear of the display includes an integrated and secure screw based mounting solution.

### **Portrait/Landscape Orientation**

The screen can be used in either a landscape or portrait orientation depending on your requirement.

### **Monitor Version**

If you would like to run the screen from an external source. A seperate monitor POS screen is available with a HDMI port







Free Scheduling























### **Easy Updates**

Updating the display is easy. It is done by loading your images and videos onto a USB stick, simply plug the USB into the display, let the media files copy and then remove the stick. No additional hardware or cables are needed. You can also upgrade your display to be networked so you can remotely update your screen via LAN or Wi-Fi via our cloud based CMS.



### **Power Over Ethernet**

Your screen can either be powered using the power cable provided or by using an Ethernet cable. This makes the display extremely flexible, allowing you to supply power to the screen using the more convenient of the two methods.



### **RS-232 Control**

Once your screen is connected via RS-232 you can control, scale and customise your display remotely over short and long distances.



PCAP Touch Screen Upgrade
You can upgrade your display to be a PCAP Touch Screen to increase audience engagement. Your customers can interact with the display to explore a product range or even fill out data capture forms.
Adding touch capabilities can really add another dimension to your advertising.

	Display Size		10 Inch
	Resolution	ĺ	1280x800
	Display Area (mm	1)	217.95x136.65
Panel	Aspect Ratio		16:10
	Brightness (cd/m	2)	450
	Colour		16.7M
	Colour Depth		10 Bit
	Viewing Angle		178°
Audio	Speaker Type		1.5W, 8Ω
	Power Consumpt	tion (W)	18
Power	Input Voltage		AC110~240V (50Hz~60Hz)
	PoE Mode		24V Passive
	Unit Size (WxHxD	mm)	239.9x169.2x26.8
	VESA Holes (mm)	)	50x50
Mechanical	Package Size (Wx	(HxD mm)	333X278X75
Wiechanicai	Net Weight (kg)		1.5
	Gross Weight (kg	)	2.2
	Working Temper	ature	0 °C to 50 °C
		Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
		Media Resolution	1920x1080/1080x1920
		Internal Memory	6GB
		CPU	Quad-Core Cortex-A7 , up to 1.3GHz (RK3126)
		GPU	ARM Mali-400MP2
Computer	Internal Media Player	RAM	1GB DDR3
		ROM	6GB NAND
		USB	USB2.0 HOST x1
		Wi-Fi	802.11b/g/n
		OS	Android 5.0.2
		Graphic Engine	OpenGL ES 1.1/2.0
Accessories	Optional		Cloud Network Software, PCAP Touch Screen Upgrade



### **Outdoor Advertising Displays**

### **Ultra High Brightness Panel**

2,500cd/m<sup>2</sup> makes sure this display will always be seen whatever the weather. Over 6 times brighter than that of a standard domestic television to improve the displays image clarity in an outdoor environment.

### **Weather Proof**

An IP65 Rating means the display is able to withstand all weather conditions; wet and dry and also features waterproof over molded AV connectors.



### Network Upgrade (go to page 57 for more information)

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.



RENAULT CAPTUR

CAPTURE LIFESTYLE

### Touch Screen Upgrade (go to page 61 for more information)

The screen can be upgraded to become a ten point PCAP Touch Screen that unlocks a host of new features including buttons and multiple playlists.

### Modifications

The screens can be upgraded in various ways including the addition a camera or a 3G module

### **Sturdy Enclosure**

Made from mild steel, the enclosure is strong enough to protect the displays components from outside harm such as vandals.

### **Dust Tight**

The screen has the highest intrusion protection rating of IP65, meaning it is virtually impossible for dust to enter the enclosure.

### **Toughened Glass**

Thermally toughened glass protects the screens internal components and adds an extra layer of security against vandals.

### **Easy Updates** Update the screen via the simple 'plug and play' USB method. You can control the screen from anywhere in the world by upgrading to a Network version.



### **Lockable Wall Mount**

The screen comes with a wall mount that allows the screen to be securely mounted in either landscape or portrait orientation.

### **Anti Reflective Glass**

Diffuses direct sunlight making the display easily readable in bright weather conditions.

### **Advanced Temperature Control**

Designed to run 24/7 in constant use the display has an advanced temperature control system to keep it running at the optimum temperature no matter the environment.







Android Media Player

Landscape or Portrait

Orientation


















Control





### **Sunlight Readable**

Brightness is paramount when using outdoor screens, these displays use commercial grade Ultra High Brightness panels (2,500 cd/m²); more than 6 times brighter than a standard home TV to allow easy readability in direct sunlight. The display also has an ambient light sensor that will alter the screens brightness based on the displays surrounding light levels. This leaves the screen with the best clarity while also conserving energy.



### **Outdoor Enclosure**

Designed with robust, corrosion protected, casing to protect against the elements and the public. With an IP65 rating, it keeps out all airborne particles as well as being protected from any wet weather conditions and also feature waterproof over molded AV connectors. The enclosures are made from mild steel and have thermally toughened glass.





### **Temperature Control**

The internal air-conditioning system allows the screens to be in constant use in an outdoor environment. Internal fans keep the pane and other internal components at the optimum working temperature ensuring a long and reliable life for your display.

	Display Size		22 Inch	32 Inch	42 Inch	47 Inch	55 inch	65 Inch	
	Resolution				1080	x1920	,		
	Pixel Pitch		0.2537x 0.2537	0.36375x0.363750	0.1615x0.4845	0.5415x0.5415	0.21x0.63	0.744 x 0.744	
	Display Area (mm) Aspect Ratio		270x477 396x702 526x934 590x1045 686x1215 803.5x1428						
Panel	Aspect Ratio				16	5:9			
	Brightness (cd,	/m²)			2,5	500			
	Colour				16.	7 M			
	Viewing Angle	!			17	78°			
	Contrast Ratio				800	00:1			
AV Inputs	Video				HDM	I, VGA			
Power	Power Consum	nption (W)	130	190	250	300	430	550	
· oue.	Input Voltage				AC110~240V	(50Hz~60Hz)			
	Unit Size (WxH	lxD mm)	270x477	515x1040x110	670x1410x120	726x1470x140	817x1638x140	990x1910x140	
	VESA Holes (m	nm)	350x250	400x300	400x400/400x800	500x400/500x800	600x400/600x800	700x400/700x800	
	Net Weight (kg	g)	25	32.35	50	63.5	76	120	
Mechanical	Operating Ten	nperature:	-10 °C to 50 °C						
cc.iu.i.cu.	Operating Hur	midity:	10% - 80%						
	Storage Temp	erature:	-30°C - 60°C						
	Storage Humio	dity:	5% - 90%						
	Enclosure Prot	ection	IP65						
		Media Formats	Video	(MPG, AVI, MP4, R	M, RMVB, TS), Aud	io (MP3, WMA), Im	age (JPG, GIF, BMP,	PNG)	
		Media Resolution			1080	x1920			
		Internal Memory			60	GB			
		CPU			Duel-Core Cort	ex-A9 @1.6GHz			
		GPU			Mali-400 MF	24 @400MHz			
	Internal	RAM			1GB	DDR3			
Computer	Media Player	ROM				NAND			
		USB				HOST (x2)			
		LAN				vork version screen			
		Wi-Fi		80		k version screen or	nly)		
		OS			Andro	id 4.2.2			
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1						
	Special		Images, \		-	On/Off Timer, On S		Rotation	
Accessories	Included					te Control, User Ma			
	Optional			Touch	Screen Upgrade, N	letwork Upgrade, C	Camera		



### **Outdoor Freestanding Digital Posters**

### **Ultra High Brightness Panel**

2,500cd/m² makes sure this display will always be seen whatever the weather. Over 6 times brighter than that of a standard domestic television to improve the displays image clarity in an outdoor environment.

### **Easy Maintenance**

The screen is designed to allow for easy and quick access using hydraulic cylinders when maintenance is required while still being secure.



### **Easy Updates**

Update the screen via the simple 'plug and play' USB method. You can control the screen from anywhere in the world by upgrading to a Network version.

### **Internal Locker**

If you want to use the screen as a monitor you can connect external devices via HDMI and VGA and keep the devices in the discrete internal locker.

### **Advanced Temperature Control**

Designed to run 24/7 in constant use the display has an advanced temperature control system to keep it running at the optimum temperature no matter the environment.

### Removable Base

If desired the base can be removed before installation for a more streamline appearance.

### **Weather Proof**

An IP65 Rating means the display is able to withstand all weather conditions; wet and dry and also features waterproof over molded AV connectors.





### **Network Upgrade (go to page 57 for more information)**

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.



### **Touch Screen Upgrade (go to page 61 for more information)**

The screen can be upgraded to become a ten point PCAP Touch Screen that unlocks a host of new features including buttons and multiple playlists.



### Modifications

The screens can be upgraded in various ways including the addition a camera or a 3G module.

### **Sturdy Enclosure**

Made from mild steel, the enclosure is strong enough to protect the displays components from outside harm such as vandals.

### **Anti Reflective Glass**

Diffuses direct sunlight making the display easily readable in bright weather conditions.

### **Dust Tight**

The screen has the highest intrusion protection rating of IP65, meaning it is virtually impossible for dust to enter the enclosure.

### **Toughened Glass**

Thermally toughened glass protects the screens internal components and adds an extra layer of security against vandals.







lia Playor Lan



Orientation







Free Wall Mount







Touch Screen Upgrade







### **Sunlight Readable**

Brightness is paramount when using outdoor screens, these displays use commercial grade Ultra High Brightness panels (2,500 cd/m²); more than 6 times brighter than a standard home TV to allow easy readability in direct sunlight. The display also has an ambient light sensor that will alter the screens brightness based on the displays surrounding light levels. This leaves the screen with the best clarity while also conserving energy.



### **Outdoor Enclosure**

Designed with robust, corrosion protected, casing to protect against the elements and the public. With an IP65 rating, it keeps out all airborne particles as well as being protected from any wet weather conditions and also feature waterproof over molded AV connectors. The enclosures are made from mild steel and have thermally toughened glass.



### **Temperature Control**

The internal air-conditioning system allows the screens to be in constant use in an outdoor environment. Internal fans keep the pane and other internal components at the optimum working temperature ensuring a long and reliable life for your display.

	Display Size		47 Inch	55 Inch			
	Resolution		1080>	1920			
	Pixel Pitch		0.5415x0.5415	0.21x0.63			
	Display Area (	mm)	593x1050	686x1215			
Panel	Aspect Ratio		9:16				
	Brightness (cd	/m²)	2,5	00			
	Colour		1.06 Billon	1.073 G			
	Viewing Angle		17	8°			
	Contrast Ratio		800	0:1			
AV Inputs	Video		HDMI	, VGA			
	Power Consun	nption (W)	530	580			
Power	Input Voltage		AC110~240V	(50Hz~60Hz)			
	Unit Size (WxF	HxD mm)	860x1920x180	960x2020x200			
	Net Weight (k	g)	160	200			
	Operating Ten	nperature:	-10 °C to 50 °C				
<b>lechanical</b> Operating	Operating Hui	midity:	10% -	- 80%			
	Storage Tempe	erature:	-30°C - 60°C				
	Storage Humi	dity:	5% -	90%			
	Enclosure Prot	ection	IP65				
		Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audi	io (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
		Media Resolution	1080>	1920			
		Internal Memory	60	GB			
		CPU	Duel-Core Corte	ex-A9 @1.6GHz			
		GPU	Mali-400 MP	4 @400MHz			
	Internal	RAM	1GB (	DDR3			
eature	Media Player	ROM	8GB N	IAND			
		USB	USB2.0 H	IOST (x2)			
		LAN	10/100M Ethernet (Netw	vork version screen only)			
		Wi-Fi	802.11b/g/n (Network	k version screen only)			
		OS	Android 4.2.2				
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1				
	Special		Images, Videos, Audio, Scrolling Text Message,	On/Off Timer, On Screen Clock, Media Rotation			
	Included		AC Power Cable,	Remote Control			
Accessories	Optional		Touch Screen Upgrade, Network Upgrade, Camera				



### **Professional Monitors**

### Network Upgrade<sup>†</sup> (go to page 57 for more information)

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### Plug and Play

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick and insert in the display. Your images and videos will now play in a continuous loop.

### **IPS Panel\***

fries

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

**NIPS** 

### £4.95 £5.79 £5.35 £4.95

### Narrow Bezel<sup>3</sup>

A narrow bezel helps draw attention to the screens images and not the display for maximum impact messaging. Thanks to the narrow bezel these monitors can also be used as part of a budget friendly video wall.

### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

### IR Extension\*

As well as having a standard infrared remote control sensor there is also a free infrared remote control sensor extension included for easier kiosk integration.

### **BNC Connection\***

Ideal for CCTV monitor applications our monitors have a BNC input for AV connections. The monitor is able to display video direct from CCTV cameras or from a Digital Video Recorder.

- \* Smaller Professional Monitors 32"-55" only
- † 65" & 70" Professional Monitors only

### Connect Devices

If you want to use the screen as a monitor you can connect devices via HDMI and VGA.

### **Portrait/Landscape Orientation**

The screen can be used in either a landscape or portrait orientation depending on your requirement.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50,000 hours.

### **Built-in Video Matrix Processor\***

These displays can be used individually or as part of a tiled video wall. As a video wall, the units can tile the video signal automatically thanks to their built-in video matrix processor. This means the video wall can have any configuration without any additional hardware.

















Control

Integrated Temperature Integrated Speakers


















As well as having a range of AV inputs, our monitors have a built-in HD media player allowing you to run content directly from a USB drive. Load your pictures and videos onto a USB memory stick then insert it into the display, the screen will then start playing the pictures and videos in a continuous loop. (65" and 70" monitors have an integrated Android Media Player that gives you faster processing times, a larger internal memory and are easily network upgradable).



### 24/7 Commercial Use

A commercial grade panel, with a lifespan in excess of 50,000 hours, and high quality components ensure that this display can be in constant use 24/7.



### **IPS Panel (Smaller Professional Monitors only)**

Accurately displays an image's quality and colour depth at a 178° ultra wide viewing angle. From bright sunlight to the most challenging lighting environments these displays are designed to reproduce and maintain the ultimate colour temperature for lifelike images. The panel is also optimised for mounting in either landscape or portrait orientation.

	Display Size	32 Inch	43 Inch	50 Inch	55 Inch		
	Resolution	n 1920x1080					
	Display Area (mm)	698.4x392.9	941.2x529.42	1073.78x604	1209.6x680.4		
	Bezel Size	Top/left/right: 12.5, Bottom: 17.5	To	pp/left/right: 11.2, Bottom: 17	7.3		
Panel	Pixel Pitch	0.369x0.369	0.49x0.49	0.55926x 0.55926	0.6342x0.6342		
	Aspect Ratio		1	6:9			
	Brightness (cd/m²)		4	50			
	Colour		16	.7M			
	Viewing Angle		1	78°			
	Contrast Ratio 4000:1						
Audio	Speaker Type		2x2\	Ν, 4Ω			
AV Inputs	Video		HDMI, VGA, Audio So	cket (3.5mm), BNC (AV)			
	Power Consumption (W)	38	45	55	65		
Power	Input Voltage		AC110~240\	V(50Hz~60Hz)			
	Unit Size (WxHxD mm)	723.4x422.9x68	963.6x557.9x59.8	1096.16x632.5x59.3	1232x708.9x59.3		
	VESA Holes (mm)	500x200	500x200	500x300/	500x200		
Mechanical	Net Weight (kg)	8	14	19	23.2		
	Gross Weight (kg)	10	18.5	24	30		
Media Player	Media Formats	Video	(MPG, AVI, MP4), Audio (M	IP3, WMA), Image (JPG, BMP,	PNG)		
invironmental	Operating Temperature		0°C to 50°C				
Accessories	Included		Remote Control, User Manual, Power Lead				

	Display Size		65 Inch	70 Inch	84 Inch
	Resolution		1920	x1080	3840x2160
	Display Area (mm)		1432.5x807	1549.44x871.56	1863.5x1049.63
	Pixel Pitch		0.744x0.744	0.807x0.807	0.970x0.970
nel	Aspect Ratio			16:9	
	Brightness (cd/m²)			450	
	Colour			16.7M	
	Viewing Angle			178°	
	Contrast Ratio		5000:1	4000:1	2000:1
lio	Speaker Type			2x2W, 4Ω	
Inputs	Video		HDMI, VGA, Aud	io Socket (3.5mm)	HDMI (1080p), HDMI (4K), VGA DVI, AV1, AV2, YPbPr, RGB/HV Audio Socket (3.5mm)
	Power Consumption	on (W)	280	350	420
ver	Input Voltage			AC110~240V(50Hz~60Hz)	
	Unit Size (WxHxD)	mm)	1468.5x843x91.21	1612x934x83.1	1915x1107x93
	Package Size (WxH	lxD mm)	1650x1030x340	1800x1110x340	2140x1450x450
hanical	VESA Holes (mm)		600X400	600X500	600x400/600x800
	Net Weight (kg)		57	63.2	83.5
	Gross Weight (kg)		66.1	68	175.5
ironmental	Operating Temper	ature		0°C to 50°C	
		Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Aud	dio (MP3, WMA), Image (JPG, GIF, BMP, PNG)	
		Media Resolution	1080	x1920	•
		Internal Memory	6	GB	•
		CPU	Duel-Core Cor	tex-A9 @1.6GHz	•
		GPU	Mali-400 M	P4 @400MHz	•
	Internal Media	RAM	1GB	DDR3	•
nputer	Player	ROM	8GB	NAND	•
		USB	USB2.0	HOST (x2)	•
		LAN	10/100M Ethernet (Net	work version screen only)	•
		Wi-Fi	802.11b/g/n (Network version screen only)		•
		OS	Andro	id 4.2.2	•
		Graphic Engine	OpenGL ES 1.1,	/2.0, OpenVG 1.1	•
	Included		Re	emote Control, User Manual, Power Le	ad
essories	Optional		Network		

24



### **Network Upgrade (go to page 57 for more information)**

smart

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### **High Brightness Panel**

1,500cd/m<sup>2</sup> makes sure this display will always be seen whatever the weather. Over 3 times brighter than that of a standard domestic television to improve the displays image clarity.

### **Plug and Play**

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.

### **Portrait/Landscape Orientation**

The screen can be used in either a landscape or portrait orientation depending on your requirement.

### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

### **Integrated Android Media Player**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via the Android PC board.

smart forfour.

BUSINESS OFFER

MONTHLY PAYMENTS FROM

FOR everyday living.

smart forfour 71 bhp

PERSONAL OFFER

REPRESENTATIVE

New generation, same innovative design.

### RS-232 Control

Once your screens are connected via RS-232 you can control, scale and customise all of your displays remotely over short and long distances.

### **Advanced Temperature Control**

Designed to run 24/7 in constant use the display has an advanced temperature control system to keep it running at the optimum temperature no matter the environment.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50,000 hours.

### **Connect Devices**

If you want to use the screen as a monitor you can Connect devices via HDMI and VGA.





25























AV Inputs





### **Sunlight Readable**

Brightness is paramount when using outward facing screens, these displays use commercial grade Ultra High Brightness panels (1,500 cd/m²); more than 3 times brighter than a standard home TV to allow easy readability in direct sunlight.



### **Plug and Play**

The High Brightness Professional Monitors come with a built in HD Android media player, allowing you to update them using a USB memory stick. Load your pictures and videos onto a USB memory stick then insert it into the display, which will copy the files into its nternal flash memory. Once you remove the memory stick the screen will then start playing the pictures and videos in a continuous loop. They can also be updated remotely by upgrading your screen to be networked.



### Temperature Control

The internal air-conditioning system allows the screens to be in constant use in an outward facing window. Internal fans keep their banels and other internal components at the optimum working emperature; ensuring a long and reliable life for your screens.

			32 Inch	42 Inch	47 Inch	55 Inch	65 Inch	
	Resolution				1920×1080			
	Display Area (	mm)	699x393	920.6x516.6	1041x583	1210.8x683	1429.9x805	
Panel	Aspect Ratio Brightness (cd/m²) Colour Viewing Angle				16:9			
					1,500			
					16.7M			
					178°			
	Contrast Ratio	)	4000:1	3000:1		5000:1		
Audio	Speaker Type				2W, 5Ω (x2)			
AV Inputs	Video				HDMI, VGA			
AV Inputs	Audio				Audio Socket (3.5mm)	)		
	Power Consu	mption (W)	180	230	300	340	420	
	Input Voltage			A	C110~240V (50Hz~60H	Hz)		
	Unit Size (WxHxD mm)		590x383x50.5	986.6x579.6x78.5	1103.6x647.6x95	1275.6x747.4x101.8	1478.2x854.2x114.	
	VESA Holes (r	nm)	400x200	400x400	400x400/400x500	400x400/400x500	600x400	
	Operating Temperature		Operating Temperature 0°C to 50°C					
	Storage Temperatur	perature	-30°C to 60°C					
	Operating Hu	midity	lity 10% to 80%					
	Storage Humi	idity	5% to 95%					
		Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)					BMP, PNG)	
		Media Resolution			1920x1080/1080x1920	)		
		Internal Memory			6GB			
		CPU		Due	el-Core Cortex-A9 @1.6	6GHz		
		GPU		1	Mali-400 MP4 @400MF	łz		
	Internal	RAM			1GB DDR3			
	Media	ROM			8GB NAND			
	Player	USB			USB2.0 HOST (x2)			
		LAN		10/100M Eth	nernet (Network version	n screen only)		
		Wi-Fi		802.11b/g	g/n (Network version s	creen only)		
		OS	Android 4.2.2					
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1					
		Special Features	Images, Vide	os, Audio, Scrolling Tex	t Message, On/Off Tim	ner, On Screen Clock, M	ledia Rotation	
	Included			Scheduling Sc	oftware, Remote Contro	ol, User Manual		
	Optional		Netw	ork Upgrade, Wall Mo	unt, Floor Stand/Trolley	, Ceiling Mount, Table	Stand	



### **LCD Video Wall Displays**

### 4

### Network Upgrade (go to page 57 for more information)

The screen can be upgraded to become a network screen that unlocks a host of new features including online updates and multiple media zones.

### **Multiple Configurations**

These displays can be used to create Video Walls of any configuration, for example 2x2, 3x3, 1x4, 5x3 etc. Whatever your configuration requirements these displays can support them, even if you want a portrait Video Wall.

### Super Narrow Bezel Virtually seamless app

Virtually seamless appearance with a bezel of just 3.5mm screen to screen.

## Commercial Grade Designed for use in commercial applications, Video Walls can run 24/7.

### **Advanced Temperature Control**

Designed to run 24/7 in constant use each panel has an advanced temperature control system to keep it running at the optimum temperature no matter the environment.

### Connectivity

You can run the Video Wall display from your PC or Media Players as they have a powerful interface that supports a wide range of audio and video inputs, such as HDMI, VGA, DVI, RGB/HV, Composite Video, and YPbPr.

### IPS Panels

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations and with no blackening defect.

### **Portrait/Landscape Orientation**

The Video Wall panels can be used in either a landscape or portrait orientation depending on your requirement.

### Automatic Tiling With an integrated video matrix

processor, no additional hardware is required to get your Video Wall display to tile to any configuration.

### **Environmentally Friendly Power Timer**

Allows for a reduced power usage in those hours that the displays are not required. Set daily or weekly On/Off times for your displays.

Orientation



Super Narrow Bezel



Multiple configurations



LED backlight











Temperature Contro





178° Super Wide Viewing Angle





### **Super Narrow Bezel**

Achieve a sensational virtually seamless Video Wall thanks to our Video Wall panels that have a total bezel size of just 3.5mm. This allows your content to take center stage and provides a visual experience to remember for anyone who sees the display.



### **Automatic Tiling**

Our Video Walls Displays offer the ultimate in versatility. With a hassle free setup it is easy for our Video Wall Displays to tile the video signal automatically thanks to their integrated video matrix processor. This means that no additional matrix processing hardware is required; regardless of the configuration of your Video Wall.



### **IPS Panel**

State of the art commercial grade IPS panels give our Video Walls superior colour uniformity, a large viewing angle and remarkably vibrancy, even when mounted in portrait. Also these panels do not suffer from blackening defect when used as a window display.

	Display Size	49 Inch	55 Inch				
	Resolution	1366x768	1920x1080				
	Bezel Size	699x393	920.6x516.6				
	Active Area (HxW mm)	1074x600.8	1209.9x680.7				
	Aspect Ratio	16:	9				
Panel	Brightness (cd/m²)	50	0				
	Colour	16.7	'M				
	Colour Temperature	1000	00K				
	Viewing Angle	178°					
	Contrast Ratio	4000:1					
	Backlight Life	50000	hours				
V Inputs/	Video	HDMI, DVI, VGA, RGB/HV (BNC), Video1 IN (BNC), Video2 IN (BNC), Video1 OI					
Outputs	Audio	Audio in, Audio out					
	Power Consumption (W)	180 160					
Power	Input Voltage	100V ~ 240V	/(50/60Hz)				
	Power Management	VESA [	PPMS				
	Unit Size (WxHxD mm)	590x383x50.5	1213.4x684.2x117.9				
Mechanical	Net Weight (Kg)	25	31.5				
iviecnanicai	Gross Weight (Kg)	33.3	40.6				
	Package Size	1258x858x285	1390x916x303				
	Working Temperature	0-50	)°C				
Environmental	Operating Humidity	10-9	0%				
	Working Pressure	800-1114 hPa (Alt	titude:0-2,000m)				
Accessories	Included	Remote control, AC Power Cable, User Ma	nual, VGA/HDMI Cable, OSD Control Box				





### Touch CMS (go to page 61 for more information)

Our ground breaking new Touch Cloud Management System that puts you in control as you create, deploy and touch your very own content on screen. Create your custom layouts with our user friendly software that requires no knowledge of coding to use. Deploy the content from your PC direct to screen in a matter of seconds. Now all that is left to do is touch as you let your content do the talking.

### Technology

Using the most responsive and sensitive commercial touch technology available. Not affected by dust or debris on the screen surface.

Seamlessly switch between the two for the most versatile Touch Screen solution on the market.

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

(Excludes 22" model)

### **Built in Wi-Fi**

As well as having an Ethernet port you can wirelessly connect to the internet thanks to the built in Wi-Fi.

### Connectivity

If you don't want to use the screen's integrated PC you can attach your own device, such as a media player or high performance PC, using the HDMI or VGA inputs.

### **USB Ports**

Attach third party peripherals to the internal PC via the screens two USB ports.

The integrated PC has both Windows and Android operating systems installed.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50.000 hours.

### Audio

The screen has two integrated speakers but also has an audio out port for connecting headphones or external speakers.

### **Portrait/Landscape Orientation**

The screen can be used in either a landscape or portrait orientation depending on your requirement.



Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

High Heels

**Giant Tablet Styling** 

**Boots** 

Designed to resemble a giant smart phone or tablet. The sleek and sexy look is achieved with a striking aluminium surround and stunning IPX1 rated edge-to-edge glass.







24/7 Usage









Orientation














33 34





### **Dual OS**

Experience the most versatile commercial Touch Screen on the market. With both Android and Windows operating systems installed on the integrated PC it cannot be beaten on flexibility. Seamlessly switch from your Windows desktop to the Android apps; this screen has it all in one convenient package. A Windows license will need to be purchased separately.



### **PCAP Touch**

State of the art Projected Capacitive interactive technology offers the most responsive and sensitive touch experience available. Designed for commercial applications, PCAP touch technology works by fixing a sensor grid between a layer of cover glass and the LCD panel, when a finger touches the glass the grid detects the coordinates of the touch point. Unlike other touch technologies PCAP is not affected by dust or debris on the screen surface, allows for up to 10 touch points and offers superior optical quality.



### **Giant Tablet**

These displays could be considered the largest commercial tablet on the market; but they are so much more. With a striking aluminium bezel and a sleek and sexy design, these displays always manage to catch the eye. Built with a strong tempered edge to edge glass front and a wide viewing angle, these commercial grade tablets are hard to miss and certainly stand out from the crowd.

	Display Size	22 Inch	32 Inch	43 Inch	50 Inch	55 Inch			
	Resolution			1920×1080					
	Display Area (mm)	478x269	701.4x395.8	942.5x530.5	1076x606	1211x682			
	Aspect Ratio	16:9							
Panel	Pixel Pitch (mm)	0.253x0.253	0.368x0.368	0.495x0.495	0.576x 0.576	0.634x 0.634			
	Brightness (cd/m²) 450					•			
	Brightness with touch panel (cd/m²)	with touch panel (cd/m²) 383							
	Colour 16.7M Viewing Angle 178°								
	Contrast Ratio	5000:1							
	Touch Technology			Projected Capacitive					
ouch	Touch Points	10							
	Glass Hardness			7H minimum					
ludio	Speaker Type			2W, 5Ω (x2)					
	Video Inputs (when used as monitor)			HDMI, VGA					
V Inputs/ Outputs	Audio Input (when used as monitor)			Audio Socket (3.5mm)					
	Audio Output (internal PC)			Audio Socket (3.5mm)					
ower	Power Consumption (W)	22	52	65	75	85			
Owei	Input Voltage	AC110~240V (50Hz~60Hz)							
Mechanical (	Unit Size (WxHxD mm)	590x383x50	814x503.8x69	1038.9x626.9x64.7	1176.6x706.6x65	1319.6x790.6x6			
iechanicai	VESA Holes (mm)	100×100		400:	(200				
	Operating Temperature			0°C to 50°C					
nvironmental	Storage Temperature			-30°C to 60°C					
nvironmentai	Operating Humidity			10% to 80%					
	Storage Humidity			5% to 95%					
	CPU		Intel® Atom (Qua	d-core) Z3735F (2M Cac	he, up to 1.83 GHz)				
	RAM			2GB (DDR3L-RS 1333)					
	Graphic Engine	I	ntel® HD Graphics (7t	h Gen, supports DirectX	11 and up to 646 MH	z)			
	Hard Drive/Internal Memory (eMMC)			64GB					
omputer	USB			2 x USB 2.0					
	LAN			10/100M Ethernet					
	Wi-Fi			802.11b/g/n					
	os		Windows 10 IoT	Android 4.4.4 KitKat Enterprise (licence purc	hased separately)				
	Other			ccessible buttons or co					
Included Remote Control, User Manual, Power Cable, USB to USB Cab				to USB Cable, Wi-Fi A	erial				



### **Infrared Touch Screens**



### Touch CMS (go to page 61 for more information)

Our ground breaking new Touch Cloud Management System that puts you in control as you create, deploy and touch your very own content on screen. Create your custom layouts with our user friendly software that requires no knowledge of coding to use. Deploy the content from your PC direct to screen in a matter of seconds. Now all that is left to do is touch as you let your content do the talking.

### **10-Point Infrared Touch** Technology

Using the most popular and cost effective commercial touch technology available. Durable and reliable and can be used with gloves.

### **Dual OS**

The integrated PC has both Windows and Android operating systems installed. Seamlessly switch between the two for the most versatile Touch Screen solution on the market.

### **IPS Panel**

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

### **Built in Wi-Fi**

As well as having an Ethernet and LAN ports you can wirelessly connect to the internet thanks to the built in Wi-Fi.

### Connectivity

If you don't want to use the screen's integrated PC you can attach your own device, such as a media player or high performance PC, using the HDMI or VGA inputs.or VGA inputs.



### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50.000 hours.

### **Audio**

The screen has two integrated speakers but also has an audio out port for connecting headphones or external speakers.

### **Portrait/Landscape Orientation**

The screen can be used in either a landscape or portrait orientation depending on your requirement.



Attatch third party peripherals to the internal PC via the screens two USB ports.

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.





наті




















Audio In/Out





### **Dual OS**

Experience the most versatile commercial Touch Screen on the market. With both Android and Windows operating systems installed on the integrated PC it cannot be beaten on flexibility. Seamlessly switch from your Windows desktop to the Android apps; this screen has it all in one convenient package. A Windows license will need to be purchased separately.



### **Infrared Touch**

Infrared Touch Screens use the most robust and durable touch technology available. Designed for commercial use, infrared touch technology works by embedding LED lights and sensors into the bezel of a monitor above the glass. These LED's beam a signal across to the corresponding sensor on the other side forming an invisible grid. When the grid is broken by a finger, or other solid object, the sensors can detect the touch point. Infrared Touch Screens are by far the most cost effective solution on the market.



### **Commercial Grade**

A stunning commercial grade Touch Screen, this display has been designed to be used in commercial applications. With a lifespan in excess of over 50,000 hours the Touch Screen can be in constant use 24/7. A robust enclosure protects the high quality panel and components and with no external buttons or controls you can be assured the Touch Screen cannot be tampered with.

	Display Size	32 inch	43 inch	50 inch	55 inch		
	Resolution		1920:	×1080			
	Display Area (mm)	703x397.5	943.4x531.6	1076x606	1215x685.6		
	Aspect Ratio	16:9					
Panel	Pixel Pitch (mm)	0.369x0.369	0.4958x 0.4958	0.565x 0.565	0.6342x 0.6342		
	Brightness (cd/m²)		50				
	Colour						
	Viewing Angle		17	78°			
	Contrast Ratio		500	00:1			
	Touch Technology		Infr	ared			
Touch	Touch Points		1	0			
	Glass Hardness		7H mi	nimum			
Audio	Speaker Type		2W, 5	Ω (x2)			
AV Inputs	Video		HDM	I, VGA			
AV IIIputs	Audio		Audio Sock	ket (3.5mm)			
Power	Input Voltage		AC110~240V	(50Hz~60Hz)			
Mechanical	Unit Size (WxHxD mm)	760.3x454.9x72.3	1006.2x594.2x73	1134.2x665.2x73	1273.8x744.4x73		
Mechanical	VESA Holes (mm)	200x200	200x400	300	¢400		
	Operating Temperature		0°C to	0°C to 50°C			
Environmental	Storage Temperature		-30°C	to 60°C			
Liivii Oiliileittai	Operating Humidity		10% t	o 80%			
	Storage Humidity		5% to	95%			
	CPU	Int	el® Atom (Quad-core) Z373	35F (2M Cache, up to 1.83 GF	łz)		
	RAM		2GB (DDR	BL-RS 1333)			
	Graphic Engine	Intel®	HD Graphics (7th Gen, supp	orts DirectX 11 and up to 646	MHz)		
	Hard Drive/Internal Memory (eMMC)		64	GB			
Computer	USB		2 x U	SB 2.0			
	LAN		10/100M	Ethernet			
	Wi-Fi		802.13	lb/g/n			
	OS		Android 4 Windows 10 IoT Enterprise (I	.4.4 KitKat icence purchased separately	)		
	Other			ittons or controls			
	Included	Remote 0	Control, User Manual, Power	Cable, USB to USB Cable, Wi	-Fi Aerial		
Accessories	Optional Touch CMS, Special Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table				Table Charles		



### **Infrared Freestanding Touch Screen Posters**

### **10-Point Infrared Touch** Technology

Using the most popular and cost effective commercial touch technology available. Durable and reliable and can be used with gloves.

### **Dual OS**

Seamlessly switch between the two for the most versatile Touch Screen solution on the market.

### **NIPS**

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

### **Built in Wi-Fi**

**IPS Panel** 

As well as having an Ethernet and LAN ports you can wirelessly connect to the internet thanks to the built in Wi-Fi.

### **Internal Locker**

If you don't want to use the screen's integrated PC, there is space to fit a small PC or media player inside the lockable compartment, where the necessary AV and USB connections can be made. AV inputs include VGA, HDMI, DVI, YPbPr, Video IN and RGB/

### **Free Integrated Castors**

Designed with discreet retractable castors for easy manoeuvrability; once the screen is in position the wheels can be retracted.



The integrated PC has both Windows and Android operating systems installed.

# COSTA COFFEE

### Touch CMS (go to page 61 for more information)

Our ground breaking new Touch Cloud Management System that puts you in control as you create, deploy and touch your very own content on screen. Create your custom layouts with our user friendly software that requires no knowledge of coding to use. Deploy the content from your PC direct to screen in a matter of seconds. Now all that is left to do is touch as you let your content do the talking.



### Audio

The screen has two integrated speakers but also has an audio out port for connecting headphones or external speakers.

### **LED Backlight**

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 50,000 hours.

### **Giant Tablet Styling**

Designed to resemble a giant smartphone or tablet. The sleek and sexy look is achieved with a striking aluminium surround and stunning IPX1 rated edge-to-edge glass.

### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.























Audio In/Out 10 Touch Points








### **Dual OS**

Experience the most versatile commercial Touch Screen on the market. With both Android and Windows operating systems installed on the integrated PC it cannot be beaten on flexibility. Seamlessly switch from your Windows desktop to the Android apps; this screen has it all in one convenient package. A Windows license will need to be purchased separately.



### **Infrared Touch**

Infrared Touch Screens use the most robust and durable touch technology available. Designed for commercial use, infrared touch technology works by embedding LED lights and sensors into the bezel of a monitor above the glass. These LED's beam a signal across to the corresponding sensor on the other side forming an invisible grid. When the grid is broken by a finger, or other solid object, the sensors can detect the touch point. Infrared Touch Screens are by far the most cost effective solution on the market.




### **Commercial Grade**

A stunning commercial grade Touch Screen, this display has been designed to be used in commercial applications. With a lifespan in excess of over 50,000 hours the Touch Screen can be in constant use 24/7. A robust enclosure protects the high quality panel and components and with no external buttons or controls you can be assured the Touch Screen cannot be tampered with.

	Display Size	50 inch	55 inch		
	Resolution	1080>	×1920		
	Display Area (mm)	625.4x1106.4	686.4x1215.8		
	Aspect Ratio	9:	16		
Panel	Pixel Pitch (mm)	0.565x 0.565	0.6342x 0.6342		
	Brightness (cd/m²)	50	00		
	Colour	Colour 16.7M			
	Viewing Angle	17	8°		
	Contrast Ratio	500	00:1		
	Touch Technology	Infra	ared		
Touch	Touch Points	1	0		
	Glass Hardness	7H mir	nimum		
Audio	Speaker Type	2W, 5:	Ω (x2)		
****	Video	HDMI	I, VGA		
AV Inputs	Audio	Audio Sock	zet (3.5mm)		
Power	Input Voltage	AC110~240V	(50Hz~60Hz)		
Mechanical	Unit Size (WxHxD mm)	766x1850x79.5	827x1947x79.5		
viecnanicai	Footprint (WxD mm)	779x400	840x400		
	Operating Temperature	0°C to	50°C		
Environmental	Storage Temperature	-30°C t	to 60°C		
Environmentai	Operating Humidity	10% to	0 80%		
	Storage Humidity	5% to	95%		
	CPU	Intel® Atom (Quad-core) Z373	SF (2M Cache, up to 1.83 GHz)		
	RAM	2GB (DDR3	L-RS 1333)		
	Graphic Engine	Intel® HD Graphics (7th Gen, suppo	orts DirectX 11 and up to 646 MHz )		
	Hard Drive/Internal Memory (eMMC)	64	GB		
Computer	USB	2 x US	SB 2.0		
	LAN	10/100M Ethernet			
	Wi-Fi	802.11b/g/n			
	OS	Android 4.4.4 KitKat/Windows 10 IoT Er	nterprise (licence purchased separately)		
	Other	No accessible bu	No accessible buttons or controls		
A	Included	Remote Control, User Manual, Power	Cable, USB to USB Cable, Wi-Fi Aerial		
Accessories	Optional	Touch	n CMS		









Integrated Wi-Fi

5 Year Warranty















Integrated 64GB Storage Microphone








With both Android and Windows operating systems installed on the integrated PC the Interactive Touch Display cannot be beaten on flexibility. Seamlessly switch your operating system with just the push the world's most popular operating system in Windows the display is ready to take your meetings and lessons to the next level.



### **Wireless Mirroring**

Mirror what is on your Windows, Android or Apple device without the need for messy cables with the wireless mirroring feature this display offers. Great for presenting and sharing content during meetings. Mirroring the display from your mobile, tablet or laptop has never been easier.



### **Infrared Touch**

technology is the most robust and durable touch experience available. It works by embedding LED lights and sensors into the bezel of a monitor, these LED's form an invisible grid. When the grid is broken by a finger, the sensors can detect the touch point. Infrared is by far the most cost effective touch solution on the market.



Integrated Camera & Microphone
Capture important meetings and lessons in real time with the front facing 5 megapixel camera that supports 1080p video recording and the directional microphone that has a range up to 45m<sup>2</sup>. The display can also capture and save what is on the display at any given time. These recordings and screenshots can then be archived and shared

	Display Size	65 inch	70 inch		
Panel	Resolution	19	1920x1080		
	Display Area (mm)	1424x804	1541x858		
	Aspect Ratio		16:9		
	Pixel Pitch (mm)	0.7495 x 0.7495	0.8071 x 0.8071		
	Brightness (cd/m²)	450			
	Colour	16.7M			
	Colour Depth	10 Bit			
	Viewing Angle	178°			
	Contrast Ratio	4000:1			
	Lifespan	80,000 Hours			
	Touch Technology	Infrared			
	Touch Points	10			
	Glass Hardness	7H minimum			
ouch	Response Time	≤4ms			
	Touch Point Accuracy	±1.5mm			
	Touch Resolution	32768x32768			
<b>Audio</b>	Speaker Output	Front 2x15W			
	Front Inputs	Touch USBx1, HDMI x1, PC USB x3			
	Side Inputs	AV/Audio, RS232 Port, VGA/Audio. HDMI, USB, Touch USB			
AV Inputs/	Outputs	VGA & Headphone Jack			
Outputs	Input Voltage	AC110~240V (50Hz~60Hz)			
	Camera	5 Megapixel CMOS Sensor, Supports 1080p Video Recording			
	Microphone	Directional Microphone with Range up to 45m <sup>2</sup>			
Mechanical	Unit Size (WxHxD mm)	1502x901x84	1617.8x961.9x88.5		
	Operating Temperature	0°C to 50°C			
nvironmental	Storage Temperature	-30°C to 60°C			
invironmentai	Operating Humidity	10% to 80%			
	Storage Humidity	5% to 95%			
	CPU	Intel® Atom (Quad-core) Z3735F (2M Cache, up to 1.83 GHz)			
	RAM	2GB (DDR3L-RS 1333)			
	Graphic Engine	Intel® HD Graphics (7th Gen, supports DirectX 11 and up to 646 MHz )			
	Hard Drive/Internal Memory (eMMC)	64GB			
Computer	USB	2 x USB 2.0			
	LAN	10/100M Ethernet			
	Wi-Fi	802.11b/g/n			
	OS	Android 4.4.4 KitKat/Windows 10 Pro (licence purchased separately)			
	Included	Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial			
Accessories	Optional	Special Wall Mount, Floor Stand/Trolley			



### **Interactive Touch Display**

### **Advantages over Projectors**

Touch screen solutions have a sharper image and greater contrast, which provides drastically superior readability and doesn't take its toll on your eyes. Also designed to last 16 times longer than most projector lamps and doesn't create annoying shadows.

### **Optional Trolley Stand**

Either install onto a classroom wall or invest in a fully portable trolley stand - allowing for improved diversity. Use in any classroom you like or even the assembly hall for playing DVDs. The trolley stand also features a shelf to hold your laptop.



### **Easy Access Ports and Controls**

Quickly and conveniently connect your own connected to the internal PC for easy access.

### Connectivity

The rear of the screen features AV inputs that allow for more permanent connections such as AV, Audio in and out, RS-232, VGA, HDMI, YPbPr, USB.

### 10-Point Infrared Touch Technology

Using the most durable and robust commercial touch technology available. Use anything such as your finger, or one of the styluses included, as your pointer.




### **LED Backlight**

The long lasting eco-friendly LED backlight focusses on optimum brightness and contrast; causing no eye strain as you would get from projectors. The panel and backlight have a lifespan in excess of 80,000 hours.

### **Freeze Frame**

If you are running the Interactive Touch Display from your laptop you can 'freeze' the content on screen, allowing you to use your laptop independently from the screen.



laptop to the screen using the front facing HDMI and Touch USB ports. There are also USB ports







Ten Touch Points



Anti Glare Glass



Optional Trolley Stand with



Easy Access Front Ports



AV Inputs










Freeze Frame Function





### **Easy Access Ports**

You can conveniently connect a laptop, or another external device, to the display's front ports. For more permanent connections there are a variety of AV inputs on the rear of the unit. The display also has clearly labelled buttons on the front face.



### **Infrared Touch**

Infrared Touch Screens use the most robust and durable touch technology available. Designed for commercial use, infrared touch technology works by embedding LED lights and sensors into the bezel of a monitor above the glass. These LED's beam a signal across to the corresponding sensor on the other side forming an invisible grid. When the grid is broken by a finger, or other solid object, the sensors can detect the touch point. Infrared Touch Screens are by far the most cost effective solution on the market.



### **Replace Projectors**

Now is the time to replace old fashioned projector systems with an Interactive Touch Display that has a series of advantages over the antiquated presentation technology. Built to last over 16 times longer than a projector bulb and with drastically improved contrast and sharpness the images quality does not compare. There are also no annoying shadows cast on the display that you have with projectors.

Panel	Display Size	55 inch	65 inch	70 inch	84 inch		
	Resolution	1920x1080			3840x2160		
	Display Area (mm)	1209.6x680.4	1432.34x807.34	1553.4x875.6	1864.9x1051.08		
	Aspect Ratio	t Ratio 16:9					
	Brightness (cd/m²)	500			400		
	Viewing Angle	178°					
	Contrast Ratio	5000:1					
	Lifespan	More than 60,000 Hours					
	Touch Technology	Infrared					
	Touch Points	10					
	Minimum Touch Object	≥5mm					
Touch	Response Time	≤5ms					
	Touch Point Accuracy	±2mm					
	Touch Resolution	32768x32768					
Audio	Speaker Output	Front 2x15W					
	Front Inputs	USB (touch) x 1, HDMI x 1, USB (PC) x 3					
	Side Inputs	AV/Audio x 1, S-Video/Audio x 1, VGA/Audio x 1, YPbPr;/YCbCr, HDMI, Multi-Media USB x 1, Touch USB (Type B) x 1					
AV Inputs/	Outputs	AV/Audio x 1, Coaxial Digital Audio x 1					
Outputs	Input Voltage	AC 110-240V, 50Hz/60Hz					
	Power Consumption	≤120W	≤180W	≤230W	≤400W		
	Power Consumption (standby)	≤0.5W					
	Unit Size (WxHxD mm)	1274.4x758.9x97.2	1512.4x902.4x92	1634x976x92.7	1948.4x1162.4x93		
	VESA Holes (WxH mm)	400×400	600x400	400x500	600x400/600x800		
Mechanical	Package Size (WxHxD mm)	1450x951x256	1735x1165x315	1834x1220x315	2300x1570x505		
	Net Weight (kg)	45	67	75	121		
	Gross Weight (kg)	55	77	85	316		
	Operating Temperature	0°C - 45°C					
	Storage Temperature	-20°C - 60°C					
Environmental	Operating Humidity	10% - 80% RH					
	Storage Humidity	10% - 80% RH					
Computer	Compatible Operating System	10-Point Touch - Android, Linux, Windows 8.1/10					
Accessories	Included	Remote Control x 1, HDMI Cable 1.5M x 1, USB Extension Cable 1.5M x 1, Power Cord x 1, AAA Battery x 2					



### **Standalone Android Media Player**



**Commercial Grade** 

Designed for use in commercial applications this media player can run 24/7. There are no external buttons or controls to avoid tampering.

### **Integrated Android Media Player**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via the Android PC board.

### **Network Upgrade (go to page** 57 for more information)

The Media Player can be upgraded to become a network Media Player that unlocks a host of new features including online updates and multiple media



### **Environmentally Friendly Power Timer**

Allows for a reduced power usage in those hours that the displays are not required. Set daily or weekly On/Off times for your displays.

most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert into the Media Player. Wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.













AV Inputs

	_		Standalone Android Media Player	
AV Outputs Video			HDMI, VGA	
Av Outputs	Audio		Stereo Analog Audio Socket (3.5mm)	
Power	Power Consumption (W)		<5	
Power	Input Voltage		AC110~240V (50Hz~60Hz)	
Mechanical	Unit Size (WxHxD mm)		155x103.45x33.6	
	Dimension of Box (WxHxD mm)		201x134x111.4	
	Net weight (Kg)		0.35	
	Gross Weight (Kg)		0.55	
	Operating Temperature		0°C to 50°C	
	Storage Temperature		-30°C to 60°C	
Environmental	Operating Humidity		10% to 80%	
	Storage Humidity		5% to 95%	
		Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)	
		Media Resolution	1920x1080/1080x1920	
		Internal Memory	6GB	
		CPU	Quad-Core Cortex-A9 @1.6GHz	
		GPU	Mali-400 MP4 @600MHz	
		RAM	1GB DDR3	
Computer	Internal Media	ROM	8GB NAND	
	Player	USB	USB2.0 HOST (x2)	
		LAN	10/100M Ethernet (Only when upgraded to network)	
		Wi-Fi	802.11b/g/n (Only when upgraded to network)	
		OS	Android 4.2.2	
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1	
		Special Features	Images, Videos, Audio, Scrolling Text Message, On/Off Timer, On Screen Clock, Media Rotation	
Accessories	Included		HDMI Cable, Scheduling Software, Remote Control, User Manual	



### **Android Cloud Network Media Player & Android Cloud Network Media Player with Live Input**



### **Integrated Android**

The integrated Android Media Player allows for super fast updates. If required you can also run third party Digital Signage software via

### Touch CMS (go to page 61 for more information)

Our ground breaking new Touch Cloud Management System that puts you in control as you create, deploy and touch your very own content that you can send via your Android Cloud Media Player for your Touch Monitor in a matter of seconds.

### **Simple Network Solution** No software installation is required Media Player

once you have connected the Cloud

The screens in your network can all

be under one roof or as part of a a

national or global network. Just by

as part of a network.

Network Media Players to your screens.

logging in to our cloud based CMS you can control your screens individually or

the Android PC board.



Designed for use in commercial applications this media player can run 24/7. There are no external buttons or controls to avoid tampering.



### **Broadcast Live TV**

It couldn't be simpler to integrate live TV with Digital Signage with our specialised Media Player with Live Inputs. Simply connect a TV set-top box or desired input source into the media player via HDMI. Then connect the media player to a screen via HDMI and you can control everything via our CMS.

**Digital Signage Software** 

Transform your screen into a remotely updateable advertising display with our Network Media Player. With our online CMS you can upload content, design multimedia layouts, create your own personalised playlists and schedules as you take control of your screen.











1	_	ď.		
roadcast	Live	TV	Feed	

			Android Cloud Network Media Player	Android Cloud Network Media Player with Live Input	
Video			HDMI, VGA		
AV Outputs	Audio		Stereo Analog Audio Socket (3.5mm)		
	Video		N/A	HDMI, VGA	
AV Inputs	Audio		N/A	Stereo Analog Audio Socket (3.5mm)	
	Power Consumption (W)		<5		
ower	Input Voltage		AC110~240V (50Hz~60Hz)		
	Unit Size (WxHxD mm)		155x103.45x33.6	189x113.36x39.6	
An about and	Dimension of Box (WxHxD mm)		201x134x111.4		
Mechanical	Net weight (Kg)		0.35		
	Gross Weight (Kg)		0.55		
	Operating Temperature		0°C to 50°C		
	Storage Temperature		-30°C to 60°C		
nvironmental	Operating Humidity		10% to 80%		
	Storage Humidity		5% to 95%		
	Media Formats		Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)		
	Internal Media Player	Media Resolution	1920x1080/1080x1920		
		Internal Memory	6GB		
		CPU	Quad-Core Cortex-A9 @1.6GHz		
		GPU	Mali-400 MP4 @600MHz		
		RAM	1GB DDR3		
Computer		ROM	8GB NAND		
		USB	USB2.0 (x2)	USB2.0 (x3)	
		LAN	10/100M Ethernet		
		Wi-Fi	802.11b/g/n		
		OS	Android 4.2.2		
		Graphic Engine	OpenGL ES 1.1/2.0, OpenVG 1.1		
		Special Features	Images, Videos, Audio, Scrolling Text Message, On/Off Timer, On Screen Clock, Media Rotation		
Accessories	Included		HDMI Cable, Scheduling Software, Remote Control, User Manual		



### **Network CMS**

Our Content Management System allows absolutely anybody to design content without having to write a single line of code. The easy to use interface puts the power in your hands to build your own content that your audience will love to engage with. Use your pre-existing images, videos and websites as you create your custom layouts. Deploy your content to anywhere in the world with just the push of a button. You can also send remote commands, designate specific user privileges, schedule your content to appear at set times and dates and even preview your content from the comfort of your PC.

### Compatible with the following products



Wall Mounted & Freestanding

**Android Advertising Displays** 





Wall Mounted & Freestanding

**Outdoor Advertising Displays** 



**High Brightness Monitors** 



Large Size **Professional Monitors** 



POS Android Advertising Displays



Cloud Network Media Player & Cloud Network Media Player with Live Input

> **Our Cloud Network Media** Players can work with the following products



**Professional Monitors** 



Video Walls

58

### **Backgrounds**

Set an image or a colour to frame your media zones.

### **Static Text**

Allows you to input custom text values. Edit the font, colour and size of your text.

FRIDAY

**OPENING** 

TIMES

1:30pm

until 11pm

www.pepes.co.uk

0121 327 9777

y giving you some really delicious food with some tasty trea

### Webpages

Allows you to display a live webpage such as a social media page or live web feed.

### Office Documents & PDF's

Display PDF files alongside Microsoft Word, Excel and PowerPoint files.

### **Scrolling Text**

message or live RSS feed. From here you can adjust the font, size, colour, speed and direction of the text.

Display a ticker tape

### Time

Display the time in a variety of formats, sizes and in whatever colour you want.

### **Videos**

**Images** 

loop.

Multiple videos playing in a continuous rolling loop.

Multiple images playing in a continuous rolling

### Logo

Brand your layout with your logo which will stay on top of all other zones.

### **Date**

Display the date in a variety of formats, sizes and in whatever colour you want.

### Live Feed

24/10/16

With our Android Media Player with Live Inputs (page 55) one of your zones can now display a live feed from an external source. So for example you can connect a freeview set top box and show Live TV in one of your zones.

### **Weather Widget**

Display a real time weather forecast for up to the next three days.

17:35



### **Create exciting content for your network of Digital Signage screens**



### **Create Custom Layouts**

This feature allows you to design your own layout with different media zones for your images, videos, webpages, time, date and also allows you to add a scrolling message or RSS feed. You can even give your layout a corporate 'skin' to go around your media zones.



### Connectivity

Connect your Android Network Screens to the internet wirelessly via Wi-Fi or via a Local Area Connection. If an internet connection is not available a 3G router can be incorporated into the screen, meaning that we can provide an integrated network solution for any location.



### **Update From Anywhere**

Content can be uploaded and managed from anywhere in the world via our web portal, simply login, upload your images and videos to our secure server and send them directly to your



### **Schedule Playlists**

Display what you like, when vou like. Create playlists that will automatically display your desired content a predetermined times and dates. Whatever your scheduling requirements, our system can support them.



### **Ultimate Remote Controls**

Thanks to the all-in-one nature of the screens you can remotely control functions such as adjusting your screen's brightness, rebooting or formatting your screen, playing and stopping content, adjusting the volume and scheduling on/off times; a truly centralised solution.



### Manage Users

Create as many bespoke user accounts as you like. You may wish to limit some functions of the software to specific users, for example you may wish to allow a receptionist to upload media and have access to the screen in the reception area but nothing else our system allows full user rights



### **Synchronisation**

You can synchronise the content across multiple screens that are connected to the same network. This is ideal for advertising networks on escalators or along lengthy corridors.



### RSS Feeds

Display your RSS feed in the form of a scrolling text message. This can be anything from upto-date news and weather to the latest movie reviews and currency exchange rates.

### **Entertainment**

Our network solution can work on a big or small scale, in this example a casino is using the CMS with a 2x2 Video Wall. Placed in a prominent position the Video Wall is designed to help create the fun and friendly atmosphere the casino is after. A live television feed plays constantly entertaining viewers, for this requirement the casino needed a Media Player with a Live Input. The casino also uses the Video Wall to push short term promotions and special deals direct to its target audience.

### Live TV Feed 📺

In the entertainment industry, providing customers with a distraction is often of paramount importance. A live television feed is one way to stop customers and visitors from getting bored.

### Images 🔛

A small zone to the right of the layout cycles through multiple images that promote various features of the casino, its games and food and drink offers.

### Logo 🖮

An image zone has been used for the company to prominently position their logo on the layout.

### Scrolling Text

The scrolling text zone can be updated instantly with up to date offers and news. If required it can also become an RSS feed.



### Time and Date

The layout displays the current time and date

### Transport

A network solution in the transport sector opens up a whole world full of opportunities to dazzle commuters with engaging and unique displays. In this example a tube station has used multiple Android Advertising Displays to be positioned alongside an escalator; using the CMS the content on the two screens is synchronised. This allows you to synchronise the same content on each screen or even split a larger video up so that you get the effect of one large display, like in the image below.



Ordering any number of your screens to synchronise in unison can create a real wow moment. Synchronising involves setting your images and videos to the same length of time and having their transitions synced. You can create memorable advertising by splicing your video content so it appears to play across all the screens regardless of the gaps between the screens like in this example.

Synchronisation

### Videos 🕒

Several promotional adverts of the latest products play in a continuous loop.



### **Touch CMS**

Our Touch Content Management System allows anybody to design engaging interactive Touch Screen content without having to write a single line of code. Thanks to the easy-to-use interface the power is now in your hands to create and control content that your audience will love to interact with. Use your pre-existing images, videos and even your own website to design exciting touch content. Deploy your Touch Screen content to screens anywhere in the world with just the push of a button. You can also send remote commands, designate specific user privileges, schedule your content to appear at set times and dates and even preview and interactive with your content from your PC.

### **Buttons**

Link your different pages together and trigger a host of different actions. Use buttons to prompt videos to start, launch websites, link to different pages or playlists and even launch Android compatible applications; all this without having to write any code. You can also utilise Button Groups to create and manage multiple buttons at once.

### **Images**

Tool - X

7

P

0

Insert your images into this zone and set the duration time and transition effect to display your images like a slideshow.

### Backgrounds

Set a specific colour or use your own image as your background to frame your media zones. You can also design your entire interface, including buttons, as a background image and then place empty button zones over your graphics.

### What it looks like on screen



### **Branding**

Insert your company's logo and use the company colours to completely personalise your Touch Screen Content.

### **Media Galleries**

Create user friendly galleries of your image and video content. Personalise your carousel with the length of each slide and the transition affect.

### **Apps**

If you have an Android compatible app that you would like to use you can integrate it into your Touch Screen content. It can then be launched within the playlist with the touch of a button.

### **Screensavers**

You can set a 'timeout' period for your content; if the screen isn't touched during this period you can assign a separate playlist to display automatically. This can include images, videos, webpages and even RSS feeds.

### **Scrolling Text**

Display a scrolling ticker tape message.

### Scrolling Text

### **Static Text**

**Videos** 

Set your videos to play

automatically or assign

to create a video gallery.

a 'play' button to have them play

multiple buttons to play different

on command. You can even assign

videos on the same page, allowing you

Allows you to input custom text values. Edit the font, colour and size of your text.

### **Weather Widget**

Mostly-Sunny 8°C/15°C

Jul 28, 2016

12:40:35

Display a real time local weather forecast at a glance

Gallery

### **Time and Date**

Display the time and date in a variety of different formats and choose exactly what colour you want to use.

Mostly-Sun<del>ny 8°C/15°C</del>

Jul 28: 2016

12:40:35

### Webpages

Incorporating websites and webpages into your Touch Screen content opens up a whole new world of opportunities. Any complicated functions that can't be achieved by using the standard tools of our CMS can be achieved by creating a webpage. Interact with your company website, your social media feeds, online maps, HTML 5 elements and much more.

### Compatible with the following products



PCAP Touch Screens





Wall Mounted Infrared Touch Screens



Outdoor PCAP Wall Mounted Touch



Outdoor PCAP Freestanding Touch



**POS Touch Display** 



Media Plaver



### Design exciting touch content for your audience to interact with

### Hospitality

Putting the customer's needs first is one of the key components of the hospitality sector; making Touch Screens the natural fit. Touch Screens can always be accessed by your customers and always have the most accurate and up to date information

available. In this example a hotel is using a PCAP Touch Screen to display some local attractions for their guests to explore, including directions on how to get there, either by foot, tube or by car.

### Weather Widget 3

The weather is displayed using both text and icons to accurately depict what the weather is like at a glance.

The Kensingstone

LOCAL ATTRACTIONS

### Background |

The hotel has used their company colours and logo as the background for their Touch

### Time/Date

In the hotel industry displaying the time and date is essential to allow guests and staff to check in and check out on time.

### Webzone

This webzone is linked directly to Google Maps that shows the route from the hotel directly to each location once selected.

### 

With so many different buttons on the page, grouping them allows you to distinctly separate them from one another. One set of these buttons allow you to choose the location you would like to visit, the other by the type of transport you wish to take.

### Healthcare

Hospitals and healthcare centres can be busy, fast paced environments with the need for effective and intuitive technology. This healthcare centre is using a Wall Mounted Infrared Touch Screen as an interactive information board for their patients. On the home page there is a wayfinding solution for their patients and also links to other pages where they can find out more information about the facility and the people who work there.



### Food and Drink

Make your menu interactive and let your customers explore your selection. In this example a coffee store brand is using a PCAP Touch Screen as an interactive menu board. This is a great way to connect

with customers not only to display menu items but also to alert them to targeted products

and promotions.

### Background =

The predesigned background image allows the company to maximise their branding into the design of their pages.

### Image Gallery

This image gallery is designed to cycle through multiple images that each display specific products and offers that the brand wants to promote.

### Button Zone

Set transparent button areas so that if a user were to touch this section it would allow them to browse through the company

### Android Application •

Touching this button launches a pre-existing Android gaming app so you can play it within the Touch Playlist. This is to keep customers entertained while they wait for their order.