



D614

RAPTORLAKEBOOK-SIZE SIGNAGE PLAYER



Intel® Raptor Lake-refresh
Core processors



4 x HDMI, Optional: 2 x HDMI, 1 x DP
Up to 7680 x 4320 @60 Hz



Support Wi-Fi/BT module
Support 3G/4G/5G module

CPU

CPU	Intel® Core™ 3 processor 100U Intel® Core™ 5
Chipset	processor 120U
Total Cores	SoC
Threads	6 Cores /10 Cores 8 /12 15 W
Base Power	/15 W

Network

Network Controller	1 x Intel I226-LM controller
Ethernet Interface	1 x 2.5 GbE RJ45
Wi-Fi/BT	1 x E-Key M.2(2230) for Wi-Fi/BT Support Wi-Fi 5, Wi-Fi 6, Wi-Fi 6E (CNVi)
Mobile Network	1 x B-Key M.2 (3042/3052) for 3G/4G/5G, 1 x SIM Slot

System

System Memory	Up to 96 GB, 2 x SO-DIMM DDR5-5200 MHz 1 x M-
Storage	Key M.2 (2280) PCIe4.0 X4 for SSD
TPM	Optional: TPM2.0
Watchdog Timer	Yes
Auto Power On	Yes
RTC	Set up independently every day, a week as a cycle
Power Requirement	DC-IN, 19 V/4.74 A
Dimensions	189.6mm x 148.3mm x 26mm (7.46" x 5.83" x 1.02")
Construction	Metal, Black
Operating System	Windows 11 (64bit) /Linux Ubuntu (64bit)
Operating Temperature	0°C ~45°C (32°F~113°F) @0.7m/s Air Flow
Humidity	10 ~ 90% @ 45°C (non-condensing)
Certifications	CE, FCC Class B, UKCA


Display

GPU	Intel® Graphics DirectX 12.1, OpenGL
Graphic Engine	4.6, OpenCL 3.0, 8K 60fps 12b 4:2:0 HEVC/VP9/SCC
Display Interface	4 x HDMI (Max.4096 x 2304 @60 Hz)
Optional Display Interface	2 x HDMI (Max.4096 x 2304 @60 Hz) 1 x DP1.4 (Max.7680 x 4320 @60 Hz)

I/O interface

USB	1 x USB Type-C3.2 Gen2, 1 x USB3.2 Gen2, 2 x USB2.0
Serial Port	1 x RS232
Audio	1 x 2-in-1 Headset (MIC-IN & AUDIO-OUT)
Button	1 x Power on, 1 x CLR-CMOS
Antenna	2 x Connector for Wi-Fi/BT 2 x Connector for 5G (Reserved)

Dimensions and Drawing



Order information

D614-100U50N0G-GIA	CPU: Intel® Core™ 3 processor 100U Display: 4 x HDMI (Max.4096 x 2304 @60 Hz) Memory: Up to 96 GB, 2 x SO-DIMM DDR5-5200 MHz
D614-120U50N0G-GIA	CPU: Intel® Core™ 5 processor 120U Display: 4 x HDMI (Max.4096 x 2304 @60 Hz) Memory: Up to 96 GB, 2 x SO-DIMM DDR5-5200 MHz
Packing List	2 x Wi-Fi Antenna, 1 x AC Power Cable, 1 x AC Power Adapter
Package	Carton, PLA

Optional items

VESA Mounting	VESA Mounting Kit (JZ183)
Wi-Fi/BT Module	Wi-Fi 5 (802.11ac): Intel® Wireless-AC 9560 Wi-Fi 6 (802.11ax): Intel® Wi-Fi 6 AX201, Wi-Fi 6E (802.11ax): Intel® Wi-Fi 6E AX210
Mobile Network Module	Quectel® RM500Q 5G, Quectel® EM05 4G
Operating System License	Windows 11 (64bit)



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



chromeOS



HDMI™

RoHS





Want More Information? Contact Us Now

Need any additional information?

If you need any assistance with pricing information, technical support or require any additional information our team would be more than happy to assist



CONTACT US:

Crystal Display Systems Ltd
Unit 6 M2M Park, Fort Bridgewood
Maidstone Road, Rochester,
Kent. ME1 3DQ

T : +44(0) 1634 791600
E : info@crystal-display.com
W : crystal-display.com

**SPECIALIST GLOBAL SUPPLIERS IN INNOVATIVE LCD
DISPLAY, TOUCH AND DIGITAL SIGNAGE SOLUTIONS**

Note: Monitor images are for marketing purposes only and you should refer to the mechanical diagrams for accurate dimensions and designs